

MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION

Trade Name NEW VISION	Product Type Glass Cleaner
-----------------------	----------------------------

SECTION 2 - HAZARDOUS INGREDIENTS

CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT(optional)	TLV(Source)
Isopropyl Alcohol	67-63-0		400 ppm TWA(OSHA); 400 ppm (ACGIH)
2-Butoxyethanol*	111-76-2	10-20	50 ppm(skin)TWA (OSHA);20 ppm(skin)(ACGIH)
Nonylphenolpolyethoxyethanol	9016-45-9		Not Established

SARA HAZARD TITLE III,SECTION 313-CONTAINS THE STARRED INGREDIENT(S) AT THE INDICATED PERCENTAGES
 Other ingredients in this product are : Less than 1% by weight or less than 0.1% for carcinogens Not hazardous Declared to be Trade Secret

SECTION 3 - PHYSICAL DATA

Boiling point(°F.) Near 212	Specific Gravity(H2O=1.0) (± 0.005) 0.945	pH (± 0.5) 7.0
Vapor Pressure(mm Hg) Unknown	Vapor Density(Air=1) Unknown	
Solubility in water <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Insoluble <input type="checkbox"/> Emulsifiable (or Dispersible) <input type="checkbox"/> Slight (or Partial)		
Evaporation Rate(vs. H2O) <input checked="" type="checkbox"/> Faster <input type="checkbox"/> Slower <input type="checkbox"/> About the Same		
Appearance and Odor Liquid, alcohol,"butyl" odor		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point(T.C.C.) GEATER THAN 100(DOT) °F. None to Boiling Flammable Limits Upper Unknown Lower Unknown

Extinguishing Media CO2, dry chemical, foam, water spray.

Special Firefighting Procedures Do not enter confined fire-spaces without protective clothing and self-contained air supply.

Unusual Fire and Explosion Hazards None known.

SECTION 5 - REACTIVITY DATA

Stability Stable	Incompatibility Strong oxidizers
Hazardous Decomposition Products Carbon monoxide and other unidentified organic gases may occur during incomplete combustion.	

SECTION 6 - HEALTH HAZARDS

Primary Routes of Exposure Eye Skin Oral Inhalation Other

Signs and Symptoms Eyes: liquid or vapor can cause slight to moderate irritation. Skin: prolonged or repeated contact can cause dryness and irritation. Ingestion of large quantities may cause drowsiness or loss of consciousness. Vomiting and diarrhea may occur. Inhalation may cause irritation of respiratory tract, headache, nausea. Contains materials which of Overexposure penetrate skin readily. Ingestion, prolonged or widespread contact of product in its concentrated form may result in potentially harmful absorption. (Acute)

Signs and Symptoms of Overexposure(Chronic)None known

Medical Conditions Aggravated by Overexposure None known Carcinogen/Suspect Carcinogen Ingredients NTP OSHA IARC NONE

SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES

Eyes Flush immediately with water for at least 15 minutes. If persistent irritation occurs, call a physician.

Skin Wash thoroughly with soap and water.

Ingestion Drink large quantities of milk or water. Call a physician.

Inhalation Not applicable

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection Not needed under normal conditions of use.

Ventilation Requirements Local Exhaust Mechanical Room Ventilation Is Adequate

Protective Gloves Rubber Eye Protection Safety glasses/goggles Other Protective Clothing Not required for normal use

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled Absorb with suitable absorbent. For large spills,absorb with suitable absorbent, then shovel into containers.

Waste Disposal Methods Dispose of in accordance with applicable Federal, State and Local ordinances.

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken COMBUSTIBLE LIQUID. Causes Eye and skin irritation. Keep out of reach of children. Keep away from heat and open flame. Use with adequate ventilation. Avoid in Handling and Storage contact with eyes, skin and clothing. Wash thoroughly after handling.

The health hazards given on the Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of over exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the product, under normal conditions of use.

30-64B VGC DATE PREPARED January 1, 2008